

AMMENDMENT TO CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

CLAIM 1-15(Canceled):

Claim 16 (New): An apparatus for packaging and containing an object, said apparatus comprising:

a lower compartment comprising a flat surface having a first fixing segment which is formed from a first and a second crevice, a second fixing segment which is formed from a third and fourth crevice and wherein said center of said first fixing segment is axially aligned with said center of a said second fixing segment, and a third fixing segment which is formed from a fifth and a sixth crevice, wherein said third fixing segment is parallel to said first and said second fixing segment, and wherein a certain space is formed between said first and second fixing segments;

an upper casing which is foldably coupled to said lower compartment along a folding axis and having a flat surface with a fourth fixing segment which is formed from a seventh and eighth crevice and which has a longitudinal axis of symmetry which is perpendicular to the axis of said first and said second fixing segments, wherein said upper casing is movable from a first position in which said upper casing overlaps said lower compartment and thereby causes said fourth fixing segment to reside within said certain space to a second position in which said upper casing is remote from said lower compartment, and wherein said upper casing includes a plurality of latch plates, and

wherein said upper casing has a latch hole which is positioned at the center of and which is axially aligned with said folding axis; and

an external casing which is foldably attached to said lower compartment along a second folding axis and which includes an external latch plate which protrudes from said external case in a direction away from said second folding axis and wherein said external casing is movable from a first position in which said external casing is made to overlap said upper casing to a second position in which said external casing is remote from said upper casing, and when said external casing is in said first position said external latch plate is selectively insertable into said latch hole effective to allow said apparatus to selectively provide a closed object containing package.

Claim 17 (New): The apparatus for packaging and containing object of claim 16, further comprising a thickness section disposed between said lower compartment and said upper casing, and said latch hole is disposed on said thickness section.

Claim 18 (New): The apparatus for packaging and containing object of claim 16, wherein said upper casing comprises a set of at least two through holes to form an upper fixing segment.

Claim 19 (New): The apparatus for packaging and containing object of claim 16, further comprising an advertising strap which is adapted to be wrapped around said closed object containing package.

Claim 20 (New): An apparatus for packaging and containing an object, said apparatus comprising :

a lower compartment comprising a flat surface having a first fixing segment which is formed from a first and a second crevice, a second fixing segment which is

formed from a third and a fourth crevice and wherein said center of said first fixing segment is axially aligned with said center of a said second fixing segment, and a third fixing segment which is formed from a fifth and a sixth crevice, wherein said third fixing segment is parallel to said first and said second fixing segments, and wherein a certain space is formed between said first and second segments;

an upper casing which is foldably coupled to said lower compartment along a first folding axis and having a flat surface with a fourth fixing segment which is formed from a seventh and eighth crevice and which has a longitudinal axis of symmetry which is perpendicular to the axis of said first and said second fixing segments ; said upper casing is movable from a first position in which said upper casing overlaps said lower compartment and thereby causing said fourth fixing segment to reside within said certain space to a second position in which said upper casing is remote from said lower compartment, and where said upper casing includes a plurality of latch plates, and wherein said upper casing has a wrapping latch hole which is positioned at the center of and which is axially aligned with said first folding axis,

an said external casing which is foldably attached to said lower compartment along a second folding axis wherein said external casing is movable from a first position in which said upper casing is made to overlay said lower compartment to a second position wherein said external casing is remote from said lower compartment; and

a wrapping section which is foldably coupled to said external casing along a third folding axis wherein said wrapping section includes a wrapping latch plate which protrudes from said wrapping section in a direction away from said third folding axis and wherein said wrapping section is movable from a first position in which said wrapping

section is made to overlay said external casing to a second position wherein said wrapping section is remote from said external casing, and wherein said wrapping section is in said first position said wrapping latch plate is selectively insertable into said wrapping latch hole effective to allow said apparatus to selectively provide a closed object containing package.

Claim 21(New): The apparatus for packaging and containing object of claim 20, further comprising a thickness section disposed between said lower compartment and said upper casing, and said wrapping latch hole is disposed on said thickness section.

Claim 22 (New): The apparatus for packaging and containing object of claim 20, wherein said upper casing comprises a set of at least two through holes to form an upper fixing segment.

Claim 23(New): The apparatus for packaging and containing object of claim 20, further comprising a foldable wing plate being extended from both the upper and lower sides of said wrapping section and said external casing.

Claim 24(New): The apparatus for packaging and containing object of claim 20, further comprising an advertising strap which is adapted to be wrapped around said closed object containing package.